



CARFIL QUALITY
YOUR SUPPLIER FOR ALL LABORATORY NEEDS

Animal Feeding guide

Species	Weight	Gauge	Length	Ball diameter	Disposable	Reusable
Hamsters	60-200 g	18	38,1 - 50,8 mm	2,25 - 2,3 mm	Malleable: FNC9918, PTFE: FNC9928 w/bite protector FNC9928B	Straight: FNC7905 Curved: FNC7913
Guinea Pig	250 - 300 g	18	38,1 - 50,8 mm	2,0 - 2,3 mm	Malleable: FNC9918 (PTFE): FNC9928, w/bite protector: FNC9928B, FNC9923B	Straight: FNC7904, FNC7905 Curved: FNC7912, FNC7913
		17	50,8 - 83,8 mm	2,4 mm	PTFE: FNC992, FNC9926 m/bijtbescherming: FNC9922B, FNC9926B	
	300 - 450 g	16 - 15G	76,2 - 101,6 mm	2,8 - 3,0 mm	Malleable: FNC9915, FNC9919 PTFE: FNC9925, FNC9927 w/bite protector: FNC9925B, FNC9927B	Straight: FNC7908 Curved: FNC7916, FNC7946
	400 - 600 g	14 - 13G	76,2 - 127 mm	2,9 - 4,0 m	PTFE: FNC9929, FNC9930	Straight: FNC7909, FNC7924 Curved: FNC7917
Rabbits	1,3 kg	16G - 15G	76,2 - 101,6 mm	2,8 - 3,0 mm	Malleable: FNC9915, FNC9919 PTFE: FNC9925, FNC9927 w/bite protector: FNC99255B, FNC9927B	Straight: FNC7908 Curved: FNC7916, FNC7946
Primates	Tot 4,8 kg	12G	88,9 mm	6,25 mm		Curved: FNC7919



PAVAN SERVICE BVBA

Beyntellus 3 - B-2360 Oud-Turnhout - Tel. +32 (0)14 45 13 10 - admin@carfil.be - BTW BE 0420.681.872

www.carfil.be



CARFIL QUALITY

YOUR SUPPLIER FOR ALL LABORATORY NEEDS

Mice	Tot 14 g	24	25,4 mm	1,25 mm		Straight FNC7900
	B, 15 - 20 g	22	25,4 - 38,1 mm	1,25 mm		Straight FNC7901, FNC7920
	20 - 25 g	20	25,4 - 76,2 mm	1,9 - 2,25 mm	Malleable: FNC9921, FNC9916 PTFE: FNC9931, FNC9920	Straight: FNC7921, FNC7902, FNC7903 Curved: FNC7910, FNC7911
	25 - 30 g	18	25,4 - 50,8 mm	2,0 - 2,3 mm	Malleable: FNC9918, FNC9932, FNC9933, FNC9928, FNC9923 w/bite protector: FNC9923B, FNC9928B	Straight: FNC7922, FNC79024, FNC7905 Curved: FNC7912, FNC7913
	30 - 35 g	18	50,8 - 78,7 mm	2,0 - 2,3 mm	Malleable FNC9917, FNC9923, FNC9924 w/bite protector: FNC9923B, FNC9924B	Straight: FNC7905, FNC7906 Curved: FNC7914, FNC7913
Rat	50 - 75 g	20	25,4 - 76,2 mm	1,9 - 2,25 mm	Malleable FNC9921, FNC9931, FNC9920	Recht: FNC7921, FNC7902 Curved: FNC7910
	75 - 120 g	18	25,4 - 38,1 mm	2,0 - 2,25 mm	PTFE: FNC9932, FNC9933, FNC9928 w/bite protector: FNC9928B	Recht; FNC7922, FNC7904 Curved: FNC7912
	100 - 200 g	18	50,8 - 78,7 mm	2,0 - 2,3 mm	Malleable: FNC9918, FNC997 PTFE: FNC9923, FNC9924, FNC9928 w/bite protector: FNC923B, FNC9924B, FNC9928B	Straight: FNC7905, FNC7906 Curved: FNC7913, FNC7914
		17	25,4 - 83,8 mm	2,4 mm	PTFE: FNC9922, FNC9926 w/bite protector: FNC9922B, FNC9926B	
		16	50,8 - 76,2 mm	3,0 mm		Straight: FNC7923, FNC7908 Curved: FNC7913, FNC7914
	150 - 300 g	16G - 15G	76,2 - 101,6 mm	2,8 - 3,0 mm	Malleable: FNC9915, FNC9919 PTFE: FNC9925, FNC9927 w/bite protector: FNC9925B, FNC9927B	Straight: FNC7908 Gebogen: FNC7916, FNC7946
	200 - 350 g	14G - 13G	76,2 - 127 mm	2,9 - 4,0 mm	PTFE: FNC9929, FNC9930	Straight: FNC7909, FNC7924 Curved: FNC7917





CARFIL QUALITY
YOUR SUPPLIER FOR ALL LABORATORY NEEDS



PAVAN SERVICE BVBA

Beyntellus 3 - B-2360 Oud-Turnhout - Tel. +32 (0)14 45 13 10 - admin@carfil.be - BTW BE 0420.681.872

www.carfil.be