



CARFIL QUALITY
YOUR SUPPLIER FOR ALL LABORATORY NEEDS

Contrafluran™ - Filter



Features

The patented Contrafluran™ Anesthetic Gas* Scavenging Filter consists of solid materials, distinguished by their rugged grain structure, extensive surface area and high micro- porosity.

This highly porous internal structure adsorbs efficiently and retains anesthetic gas components selectively from the exhaled- or un used anesthetic gas as it passes through the filter.

The storage capacity of the CONTRAfluran Anesthetic Gas Scavenging Filter is ca. 400gr and the flow resistance is with a $\leq 1,5\text{mm wc}$, **VERY LOW!**

LED holder for contraflurane filter

The filter can easily be attached to the flowmeter/vaporizer stand or on a separate rail, with the help of the SENSOfuran™, a mount integrated with a visual FILL-LEVEL-CONTROL-UNIT.

The differently colored LEDs (green, yellow, red) of the Sensofluran Mount indicate the quality of the filtered expired gas and thus the fill level of the filter.



PAVAN SERVICE BVBA

Beyntellus 3 - B-2360 Oud-Turnhout - Tel. +32 (0)14 45 13 10 - admin@carfil.be - BTW BE 0420.681.872

www.carfil.be



CARFIL QUALITY
YOUR SUPPLIER FOR ALL LABORATORY NEEDS

☒ LED;
The filter cleans the expired gas and has still sufficient free capacity.

☒ LED:
The capacity of the filter diminishes. A filter change is recommended when the second yellow LED lights up.

☒ LED:
The capacity of the filter is exhausted. The used filter must be replaced by a new one.

Due to legal reasons the device must be sent to UNO in a period of 12 months for calibration.



Ordering number

Ordering number	Product	Weight	Storage Capacity	Flow resistance	Volume
180000138	Contraflurane Filter	approx. 400gr	approx. 1.000 gr	≤ 1,5 mm WK	2 L
180000139	LED holder for contraflurane filter	/	/	/	/



PAVAN SERVICE BVBA

Beyntellus 3 - B-2360 Oud-Turnhout - Tel. +32 (0)14 45 13 10 - admin@carfil.be - BTW BE 0420.681.872

www.carfil.be



CARFIL QUALITY
YOUR SUPPLIER FOR ALL LABORATORY NEEDS



PAVAN SERVICE BVBA

Beyntellus 3 - B-2360 Oud-Turnhout - Tel. +32 (0)14 45 13 10 - admin@carfil.be - BTW BE 0420.681.872

www.carfil.be